# 3-19-52:80:119h 3008:1095

# Measurement Strategy


2012/2013/...


**Daniel Karrenberg** 


<<u>daniel.karrenberg@ripe.net</u>>




"I didn't have any knowledge about that service." Not useful for my day-to-day work.










Clearly defined, intuitive service 'brands' / names









Stories
General Statistics


Specific (IP/ASN)

Real-Time / History


State of the Net


Big Picture &


Individual Measurements





#### Measurements & Tools 2011


















Questions?

Strategy
Discussion?





• TTM was built for this era:



• But we are here:



• Deployed Equipment is aging ...



- TTM users want:
  - time service
  - general interest
  - NOC compatible measurements
- We evaluated the options
  - Continuing TTM as-is would require almost total redeployment
  - Alternative: shut down TTM and satisfy user requirements by more light-weight RIPE Atlas anchors



#### **Evolve TTM**

- RIPE NCC decided to shut down TTM by end of Q3/2012
  - enable TTM hosts to continue time service
  - enable TTM hosts to continue local measurements
  - best effort help / hardware supply

- Develop RIPE Atlas Anchors
- Reactions from TTM hosts are positive



TTM
Questions?

Way forward







- dnsmon measurements done by TTM boxes
- dnsmon still very much used



- Good news: RIPE Atlas can do the same measurements today
  - 1000s of Atlas probes better than 10s of TTM boxes



#### - but Atlas probes are not TTM boxes




- generic alarm service ?
- presentation/visualisation?
- correlation with other data:
  - -BGP
  - registration

- ....

This is RIPEstat!

A concrete plan is needed.



dnsmon

Questions?

Way forward



